ELSEVIER

Neuroscience Letters 323 (2002) 247–250

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 323

Abe, K., see Sato, K., 244
Acuña-Castroviejo, D., see Ortega-Gutiérrez, S., 55
Aloe, L., see Turrini, P., 109
Anderson, C.P., see Rozovsky, I., 191
Andrade-Gordon, P., see D'Andrea, M.R., 45
Andreu, E., see Louis, E., 21
Antonelli, A., see Turrini, P., 109
Arai, H., see Shibata, N., 161
Asai, K., see Yokoi, T., 133
Awazu, K., see Mochizuki-Oda, N., 207

Baba, H., see Shibata, N., 161
Bastiaansen, M.C.M., van Berkum, J.J.A., Hagoort, P., Event-related theta power increases in the human EEG during online sentence processing, 13
Baydas, G., Gursu, M.F., Yilmaz, S., Canpolat, S., Yasar, A., Cikim, G., Canatan, H., Daily rhythm of glutathione peroxidase activity, lipid peroxidation and glutathione levels in tissues of pinealectomized rats, 195
Belan, P.V., see Storozhuk, M.V., 5
Beuerman, R.W., see Kretschmer, T., 151
Bickford, M.E., see Wang, S., 141
Bishop, M., see Fiolkowski, P., 167
Bishop, M.D., Brunt, D., Pathare, N., Patel, B., The interaction between leading and trailing limbs during stopping in humans, 1
Boudinot, E., Tremblay, P., Champagnat, J., Foutz, A.S., Respiratory function in mice lacking or overexpressing the prion protein, 89
Boyce, M., see Wang, S., 141
Brunt, D., see Bishop, M.D., 1
Brunt, D., see Fiolkowski, P., 167
Burke, J.R., see Shimohata, T., 215

Canatan, H., see Baydas, G., 195
Canpolat, S., see Baydas, G., 195
Capogrossi, M.C., see Turrini, P., 109
Cellini, E., see Ricca, V., 105
Cespuglio, R., see Léger, L., 146
Champagnat, J., see Boudinot, E., 89
Chung, J.M., see Kim, C.H., 125
Chung, K., see Kim, C.H., 125
Cikim, G., see Baydas, G., 195
Clemente, F.R., see Somers, D.L., 171
Cognard, C., see Vandebrouck, C., 239
Condés-Lara, M., Martínez-Cabrera, G., Martínez-Lorenzana, G., Larriva-Sahd, J., Electrophysiological evidence that a set of interfascicular cells of the rat anterior commissure are neurons, 121
Crook, R., see Fidani, L., 81
Cui, Y., see Mochizuki-Oda, N., 207

D'Andrea, M.R., Nagele, R.G., Gumula, N.A., Reiser, P.A., Polkovitch, D.A., Hertzog, B.M., Andrade-Gordon, P., Lipofuscin and Aβ42 exhibit distinct distribution patterns in normal and Alzheimer's disease brains, 45
Datskovskaia, A., see Wang, S., 141
Degli Esposti Boschi, C., see Louis, E., 21
DeTure, M., see Grover, A., 33
Di Bernardo, M., see Ricca, V., 105
Duport, G., see Vandebrouck, C., 239

Eisenback, M., see Wang, S., 141
Emgård, M., see Stefanova, N., 37
England, J.D., see Kretschmer, T., 151

Feng, G., see Zhang, B., 229
Fernández, E., see Louis, E., 21
Ferrell, T.M., see Nicholas, A.P., 85
Fidani, L., Goulas, A., Mirtsou, V., Petersen, R.C., Tangalos, E., Crook, R., Hardy, J., Interleukin-1A polymorphism is not associated with late onset Alzheimer's disease, 81
Finch, C.E., see Rozovsky, I., 191
Fiolkowski, P., Brunt, D., Bishop, M., Woo, R., Does postural instability affect the initiation of human gait? 167
Flores, A., see Manjarrez, E., 187
Forss, N., see Silén, T., 101
Foutz, A.S., see Boudinot, E., 89
Fujita, M., see Yokoi, T., 133
Fuller, D.D., Johnson, S.M., Johnson, R.A., Mitchell, G.S., Chronic cervical spinal sensory denervation reveals ineffective spinal pathways to phrenic motoneurons in the rat, 25

Gaetano, C., see Turrini, P., 109
García, J.J., see Ortega-Gutiérrez, S., 55
Gay, N., see Léger, L., 146
Gougis, S. Prud'homme, M.-J., Rampin, O., Presence of the *N*-methyl-D-aspartic acid R1 glutamatergic receptor subunit in the lumbosacral spinal cord of male rats, 224
Goulas, A., see Fidani, L., 81
Grover, A., DeTure, M., Yen, S.-H., Hutton, M., Effects on splicing and protein function of three mutations in codon N296 of *tau* in vitro, 33
Gu, N., see Zhang, B., 229
Gumula, N.A., see D'Andrea, M.R., 45
Gupta, K.B., see Nicholas, A.P., 85
Gursu, M.F., see Baydas, G., 195

Hagoort, P., see Bastiaansen, M.C.M., 13
Happel, L.T., see Kretschmer, T., 151
Hardy, J., see Fidani, L., 81
Hartrick, C.T., Increased production of nitric oxide stimulated by inter-

PII: S0304-3940(02)00323-3

feron-γ from peripheral blood monocytes in patients with complex regional pain syndrome, 75
Hautzel, H., Mottaghy, F.M., Schmidt, D., Zemb, M., Shah, N.J., Müller-Gärtner, H.-W., Krause, B.J., Topographic segregation and convergence of verbal, object, shape and spatial working memory in humans, 156
Hayashi, M., see Oishi, T., 199
He, L., see Zhang, B., 229
Hedrich, K., see Hilker, R., 50
Heiss, W.-D., see Hilker, R., 50
Hellwig, B., see Kassubek, J., 29
Henningsen, P., see Hoechstetter, K., 137
Herholz, K., see Hilker, R., 50
Hertzog, B.M., see D'Andrea, M.R., 45
Heya, M., see Mochizuki-Oda, N., 207
Higo, N., see Oishi, T., 199
Hilker, R., Klein, C., Hedrich, K., Ozelius, L.J., Vieregge, P., Herholz, K., Pramstaller, P.P., Heiss, W.-D., The striatal dopaminergic deficit is dependent on the number of mutant alleles in a family with mutations in the *parkin* gene: evidence for enzymatic parkin function in humans, 50
Hoechstetter, K., Meinck, H.-M., Henningsen, P., Scherg, M., Rupp, A., Psychogenic sensory loss: magnetic source imaging reveals normal tactile evoked activity of the human primary and secondary somatosensory cortex, 137
Hoheisel, U., see Scheifer, C., 117
Horn, C.C., Kupfermann, I., Egestive feeding responses in *Aplysia* persist after sectioning of the cerebral–buccal connectives: evidence for multiple sites of control of motor programs, 175
Hosoi, H., see Inoue, S., 234
Hoving, S., see Rozovsky, I., 191
Hu, S., see Xu, H., 70
Hu, Y.-H., see Li, H.-Y., 203
Hutton, M., see Grover, A., 33
Hwang, H.-W., see Li, H.-Y., 203
Hyman, B.T., see McLean, P.J., 219

Inoue, S., Kita, T., Yamanaka, T., Ogawa, Y., Nakashima, T., Hosoi, H., Measurement of 5-hydroxytryptamine release in the rat medial vestibular nucleus using in vivo microdialysis, 234
Ise, Y., Narita, M., Nagase, H., Suzuki, T., Modulation of κ-opioidergic systems on mecamylamine-precipitated nicotine-withdrawal aversion in rats, 164
Ishizuka, T., see Shibata, N., 161
Ishizuka, T., Yamamoto, Y., Yamatodani, A., The effect of orexin-A and -B on the histamine release in the anterior hypothalamus in rats, 93
Ivanova, S.Y., see Storozhuk, M.V., 5
Iwai, M., see Sato, K., 244

Jiao, X., see Xu, H., 70
Johnson, R.A., see Fuller, D.D., 25
Johnson, S.M., see Fuller, D.D., 25
Juengling, F.D., see Kassubek, J., 29

Kamei, Y., see Tagaya, H., 17
Kamei, Y., see Tsang, C.K., 9
Karjalainen, T., see Silén, T., 101
Kassubek, J., Juengling, F.D., Hellwig, B., Spreer, J., Lücking, C.H., Thalamic gray matter changes in unilateral Parkinsonian resting tremor: a voxel-based morphometric analysis of 3-dimensional magnetic resonance imaging, 29
Kataoka, Y., see Mochizuki-Oda, N., 207
Kato, T., see Yokoi, T., 133
Kim, C.H., Oh, Y., Chung, J.M., Chung, K., Changes in three subtypes of tetrodotoxin sensitive sodium channel expression in the axotomized dorsal root ganglion in the rat, 125
Kim, K., see Tagaya, H., 17
Kimitsuki, T., Nakashima, T., Wada, Y., Ohashi, M., Komune, S., Effect of cyclopiazonic acid on membrane currents in isolated inner hair cells from guinea-pig cochlea, 211
Kita, T., see Inoue, S., 234
Klein, C., see Hilker, R., 50
Klimaschewski, L., see Stefanova, N., 37
Kline, D.G., see Kretschmer, T., 151
Komune, S., see Kimitsuki, T., 211
Kostyuk, P.G., see Storozhuk, M.V., 5
Krause, B.J., see Hautzel, H., 156
Kretschmer, T., England, J.D., Happel, L.T., Liu, Z.P., Thouron, C.L., Nguyen, D.H., Beuerman, R.W., Kline, D.G., Ankyrin G and voltage gated sodium channels colocalize in human neuroma – key proteins of membrane remodeling after axonal injury, 151
Ku, Y.-H., see Li, Y.-H., 60
Kuba, K., see Nowak, J.Z., 179
Kupfermann, I., see Horn, C.C., 175

Larriva-Sahd, J., see Condés-Lara, M., 121
Le Pellec, A., Maton, B., Initiation of a vertical jump: the human body's upward propulsion depends on control of forward equilibrium, 183
Léger, L., Gay, N., Cespuglio, R., Neurokinin NK1- and NK3-immunoreactive neurons in serotonergic cell groups in the rat brain, 146
Lehesjoki, A.-E., see Silén, T., 101
Li, H.-Y., Hwang, H.-W., Hu, Y.-H., Functional characterizations of cocaine- and amphetamine-regulated transcript mRNA expression in rat hypothalamus, 203
Li, Y.-H., Ku, Y.-H., Involvement of rat lateral septum-acetylcholine pressor system in central amygdaloid nucleus-emotional pressor circuit, 60
Libertun, C., see Thyssen, S.M., 65
Lin, Z., see Zhang, B., 229
Liu, Z.P., see Kretschmer, T., 151
Louis, E., Degli Esposti Boschi, C., Ortega, G., Andreu, E., Fernández, E., Sánchez-Andrés, J.V., Effects of fluctuations on electrical properties of gap-junction connected cells in the turtle retina, 21
Love, D.F., see Nicholas, A.P., 85
Lücking, C.H., see Kassubek, J., 29

Manjarrez, E., Rojas-Piloni, G., Martínez, L., Vázquez, D., Vélez, D., Méndez, I., Flores, A., Amplitude of somatosensory cortical evoked potentials is correlated with spontaneous activity of spinal neurones in the cat, 187
Martínez, L., see Manjarrez, E., 187
Martínez-Ballarín, E., see Ortega-Gutiérrez, S., 55
Martínez-Cabrera, G., see Condés-Lara, M., 121
Martinez-Lorenzana, G., see Condés-Lara, M., 121
Mason, D.W., see Nicholas, A.P., 85
Maton, B., see Le Pellec, A., 183
Matsuda, K., see Oishi, T., 199
Matsui, H., see Yokoi, T., 133
McCleane, G.J., see Walker, R.A., 78
McInnis, C., see Nicholas, A.P., 85
McLean, P.J., Hyman, B.T., An alternatively spliced form of rodent α-synuclein forms intracellular inclusions in vitro: role of the carboxy-terminus in α-synuclein aggregation, 219
Meinck, H.-M., see Hoechstetter, K., 137

Melnick, I.V., see Storozhuk, M.V., 5
Méndez, I., see Manjarrez, E., 187
Mense, S., see Scheifer, C., 117
Millán-Plano, S., see Ortega-Gutiérrez, S., 55
Mirtsou, V., see Fidani, L., 81
Mitchell, G.S., see Fuller, D.D., 25
Mochizuki-Oda, N., Kataoka, Y., Cui, Y., Yamada, H., Heya, M., Awazu, K., Effects of near-infra-red laser irradiation on adenosine triphosphate and adenosine diphosphate contents of rat brain tissue, 207
Moritoyo, T., see Yamagami, K., 97
Moriya, H., see Ohtori, S., 129
Moriyama, A., see Yokoi, T., 133
Mottaghy, F.M., see Hautzel, H., 156
Müller, G. see Pfurtscheller, G., 113
Müller-Gärtner, H.-W., see Hautzel, H., 156

Nacmias, B., see Ricca, V., 105
Nagano, I., see Sato, K., 244
Nagao, M., see Shibata, N., 161
Nagase, H., see Ise, Y., 164
Nagele, R.G., see D'Andrea, M.R., 45
Nakashima, T., see Inoue, S., 234
Nakashima, T., see Kimitsuki, T., 211
Narita, M., see Ise, Y., 164
Nguyen, D.H., see Kretschmer, T., 151
Nicholas, A.P.,McInnis, C., Gupta, K.B., Snow, W.W., Love, D.F., Mason, D.W., Ferrell, T.M., Staas, J.K., Tice, T.R., The fate of biodegradable microspheres injected into rat brain, 85
Nowak, J.Z., Pigulowska, A., Kuba, K., Zawilska, J.B., Stimulatory effects of pituitary adenylate cyclase-activating polypeptide on inositol phosphates accumulation in avian cerebral cortex and hypothalamus, 179

O'Callaghan, J., see Rozovsky, I., 191
Ogawa, Y., see Inoue, S., 234
Oh, Y., see Kim, C.H., 125
Ohashi, M., see Kimitsuki, T., 211
Ohnuma, T., see Shibata, N., 161
Ohtori, S., Takahashi, K., Moriya, H., Inflammatory pain mediated by a phenotypic switch in brain-derived neurotrophic factor-immunoreactive dorsal root ganglion neurons innervating the lumbar facet joints in rats, 129
Ohtsuka, M., see Shibata, N., 161
Oishi, T., Higo, N., Matsuda, K., Hayashi, M., Expression of super cervical ganglion-10 (SCG-10) mRNA in the monkey cerebral cortex during postnatal development, 199
Okawa, M., see Tagaya, H., 17
Onodera, O., see Shimohata, T., 215
Ortega, G., see Louis, E., 21
Ortega-Gutiérrez, S., García, J.J., Martínez-Ballarín, E., Reiter, R.J., Millán-Plano, S., Robinson, M., Acuña-Castroviejo, D., Melatonin improves deferoxamine antioxidant activity in protecting against lipid peroxidation caused by hydrogen peroxide in rat brain homogenates, 55
Ozelius, L.J., see Hilker, R., 50

Patel, B., see Bishop, M.D., 1
Pathare, N., see Bishop, M.D., 1
Petersen, R.C., see Fidani, L., 81
Pfurtscheller, G., Woertz, M., Müller, G., Wriessnegger, S., Pfurtscheller, K., Contrasting behavior of beta event-related synchronization and somatosensory evoked potential after median nerve stimulation during finger manipulation in man, 113
Pfurtscheller, K., see Pfurtscheller, G., 113
Pigulowska, A., see Nowak, J.Z., 179
Pivneva, T.A., see Storozhuk, M.V., 5
Polkovitch, D.A., see D'Andrea, M.R., 45
Pramstaller, P.P., see Hilker, R., 50
Prud'homme, M.-J., see Gougis, S. 224

Rampin, O., see Gougis, S. 224
Raymond, G., see Vandebrouck, C., 239
Reindl, M., see Stefanova, N., 37
Reiser, P.A., see D'Andrea, M.R., 45
Reiter, R.J., see Ortega-Gutiérrez, S., 55
Ricca, V., Nacmias, B., Cellini, E., Di Bernardo, M., Rotella, C.M., Sorbi, S., 5-HT_{2A} receptor gene polymorphism and eating disorders, 105
Robinson, M., see Ortega-Gutiérrez, S., 55
Rojas-Piloni, G., see Manjarrez, E., 187
Rotella, C.M., see Ricca, V., 105
Rozovsky, I., Hoving, S., Anderson, C.P., O'Callaghan, J., Finch, C.E., Equine estrogens induce apolipoprotein E and glial fibrillary acidic protein in mixed glial cultures, 191
Rupp, A., see Hoechstetter, K., 137

Sánchez-Andrés, J.V., see Louis, E., 21
Sato, A., see Shimohata, T., 215
Sato, K., Iwai, M., Nagano, I., Shoji, M., Abe, K., Expression of highly polysialylated neural cell adhesion molecule in rat subventricular zone with exposure to repeated kindled seizures, 244
Scheifer, C., Hoheisel, U., Trudrung, P., Unger, T., Mense, S., Rats with chronic spinal cord transection as a possible model for the at-level pain of paraplegic patients, 117
Scherg, M., see Hoechstetter, K., 137
Schmidt, D., see Hautzel, H., 156
Shah, N.J., see Hautzel, H., 156
Shi, Y., see Zhang, B., 229
Shibata, N., Ohnuma, T., Takahashi, T., Baba, H., Ishizuka, T., Ohtsuka, M., Ueki, A., Nagao, M., Arai, H., The effect of IL4 +33C/T polymorphism on risk of Japanese sporadic Alzheimer's disease, 161
Shibui, K., see Tagaya, H., 17
Shimohata, T., Sato, A., Burke, J.R., Strittmatter, W.J., Tsuji, S., Onodera, O., Expanded polyglutamine stretches form an 'aggresome', 215
Shoji, M., see Sato, K., 244
Silén, T., Karjalainen, T., Lehesjoki, A.-E., Forss, N., Cortical sensorimotor alterations in Unverricht-Lundborg disease patients without generalized seizures, 101
Skibo, G.G., see Storozhuk, M.V., 5
Snow, W.W., see Nicholas, A.P., 85
Somers, D.L., Clemente, F.R., Dorsal horn synaptosomal content of aspartate, glutamate, glycine and GABA are differentially altered following chronic constriction injury to the rat sciatic nerve, 171
Sorbi, S., see Ricca, V., 105
Sorimachi, M., see Yamagami, K., 97
Spreer, J., see Kassubek, J., 29
Staas, J.K., see Nicholas, A.P., 85
Stefanova, N., Emgård, M., Klimaschewski, L., Wenning, G.K., Reindl, M., Ultrastructure of α-synuclein-positive aggregations in U373 astrocytoma and rat primary glial cells, 37
Storozhuk, M.V., Ivanova, S.Y., Pivneva, T.A., Melnick, I.V., Skibo, G.G., Belan, P.V., Kostyuk, P.G., Post-tetanic depression of GABAergic synaptic transmission in rat hippocampal cell cultures, 5

Strittmatter, W.J., see Shimohata, T., 215
Suzuki, H., see Tagaya, H., 17
Suzuki, T., see Ise, Y., 164

Tada, T., see Yokoi, T., 133
Tagaya, H., Uchiyama, M., Shibui, K., Kim, K., Suzuki, H., Kamei, Y., Okawa, M., Non-rapid-eye-movement sleep propensity after sleep deprivation in human subjects, 17
Takahashi, K., see Ohtori, S., 129
Takahashi, T., see Shibata, N., 161
Takahashi, T., see Yokoi, T., 133
Tan, Z., see Zhang, B., 229
Tangalos, E., see Fidani, L., 81
Thouron, C.L., see Kretschmer, T., 151
Thyssen, S.M., Libertun, C., Quantitation of polyamines in hypothalamus and pituitary of female and male developing rats, 65
Tice, T.R., see Nicholas, A.P., 85
Togari, H., see Yokoi, T., 133
Tong, Y., see Xu, H., 70
Tremblay, P., see Boudinot, E., 89
Trudrung, P., see Scheifer, C., 117
Tsang, C.K., Kamei, Y., Novel effect of vitamin K_1 (phylloquinone) and vitamin K_2 (menaquinone) on promoting nerve growth factor-mediated neurite outgrowth from PC12D cells, 9
Tsuji, S., see Shimohata, T., 215
Turrini, P., Gaetano, C., Antonelli, A., Capogrossi, M.C., Aloe, L., Nerve growth factor induces angiogenic activity in a mouse model of hindlimb ischemia, 109

Uchiyama, M., see Tagaya, H., 17
Ueki, A., see Shibata, N., 161
Unger, T., see Scheifer, C., 117

van Berkum, J.J.A., see Bastiaansen, M.C.M., 13
Vandebrouck, C., Duport, G., Raymond, G., Cognard, C., Hypotonic medium increases calcium permeant channels activity in human normal and dystrophic myotubes, 239
Vázquez, D., see Manjarrez, E., 187
Vélez, D., see Manjarrez, E., 187
Vieregge, P., see Hilker, R., 50

Wada, Y., see Kimitsuki, T., 211
Wakamori, M., see Yamagami, K., 97
Walker, R.A., McCleane, G.J., The addition of glyceryltrinitrate to capsaicin cream reduces the thermal allodynia associated with the application of capsaicin alone in humans, 78
Wang, S., Eisenback, M., Datskovskaia, A., Boyce, M., Bickford, M.E., GABAergic pretectal terminals contact GABAergic interneurons in the cat dorsal lateral geniculate nucleus, 141
Wenning, G.K., see Stefanova, N., 37
Woertz, M., see Pfurtscheller, G., 113
Woo, R., see Fiolkowski, P., 167
Wood, S.J., Human otolith–ocular reflexes during off-vertical axis rotation: effect of frequency on tilt–translation ambiguity and motion sickness, 41
Wriessnegger, S., see Pfurtscheller, G., 113

Xu, H., Tong, Y., Zhang, X., Jiao, X., Hu, S., Neuropeptide Y inhibits the hyperexcitability of type A neurons in chronically compressed dorsal root ganglion of the rat, 70

Yamada, H., see Mochizuki-Oda, N., 207
Yamagami, K., Moritoyo, T., Wakamori, M., Sorimachi, M., Limited intercellular spread of spontaneous Ca^{2+} signals via gap junctions between mouse chromaffin cells in situ, 97
Yamamoto, N., see Yokoi, T., 133
Yamamoto, Y., see Ishizuka, T., 93
Yamanaka, T., see Inoue, S., 234
Yamatodani, A., see Ishizuka, T., 93
Yasar, A., see Baydas, G., 195
Yen, S.-H., see Grover, A., 33
Yilmaz, S., see Baydas, G., 195
Yokoi, T., Yamamoto, N., Tada, T., Fujita, M., Moriyama, A., Matsui, H., Takahashi, T., Togari, H., Kato, T., Asai, K., Developmental changes and localization of mouse brain serine proteinase mRNA and protein in mouse brain, 133

Zawilska, J.B., see Nowak, J.Z., 179
Zemb, M., see Hautzel, H., 156
Zhang, B., Tan, Z., Zhang, C., Shi, Y., Lin, Z., Gu, N., Feng, G., He, L., Polymorphisms of chromogranin B gene associated with schizophrenia in Chinese Han population, 229
Zhang, C., see Zhang, B., 229
Zhang, X., see Xu, H., 70